| Item #: 194MCH322A | | Project: | |
|--------------------|-------|----------|-----------|
| Qty: | Date: | | Approval: |



Item #194MCH322A



ICE MACHINES VIC



| • |
|---|

Technical Data

| Width | 22 Inches |
|------------------------------|-------------------|
| Depth | 24 3/8 Inches |
| Height | 22 3/8 Inches |
| Amps | 12 Amps |
| Hertz | 60 Hertz |
| Phase | 1 Phase |
| Voltage | 115 Volts |
| 24 Hour Ice Yield | 350 Pounds |
| Ambient Temperature Range | 40 - 90 Degrees F |
| Average Running Decibels | 69 Decibels |
| | |

Features

- Makes up to 350 lb. of half cube ice per day
- Durable 304 stainless steel exterior with polyethylene interior
- Digital controller allows user to quickly identify issues and the current stage of production
- Removable air filter allows for quick cleaning
- R290 refrigerant; 115V; NEMA 5-15P

Certifications






0 3/4" Water Connection



| FU Per Hour 2696 BTU blor Silver | |
|--|-------|
| | |
| | |
| ondenser Type Air Cooled | |
| e Type Half Size Cubes | |
| stallation Type Modular | |
| aterial Stainless Steel | |
| et Weight 111 LBS | |
| ackaging Dimensions 25.8"W x 29.6"D x 24 | 4.5"H |
| ug Type NEMA 5-15P | |
| wer kWh/100 lbs. Ice 5.1 kWh | |
| ower Usage 5.1 kWh per 100 lbs. | |
| rfrigerant Type R-290 | |
| rpe Ice Machines | |
| ater Pressure Range 18 3/4 - 80 PSI | |
| ater Temperature Range 40 - 90 Degrees F | |
| fater Usage 14.1 Gallons per 100 | lbs. |

Plan View





Make sure you've always got plenty of fresh ice on hand with the Avantco Ice MC-H-322-A 22" air cooled modular half cube ice machine! Capable of producing up to 350 lb. of half cube ice per day, you'll always have plenty of ice to serve on demand. At only 22" in width, this narrow unit is great for tight bars, kitchens, and coffee shops. For ease of maintenance, a built in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly. This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It allows you to adjust the bridge thickness up or down to maximize your harvest into individual cubes of ice, rather than full sheets. It also initiates the cleaning cycle and displays what stage of the cycle you're in.

Constructed of durable type 304 stainless steel with a polyethylene interior, this unit is built to last in the busiest commercial environments. A nickel plated evaporator and removable air filter make for quick and simple cleaning and maintenance. This ice machine also comes with pre-drilled holes on the back of the unit to mount your OceanLoch water filter to the machine to ensure you are serving the cleanest and freshest ice possible. Designed for side-breathing and rear exhaust, you can avoid hot air being blown outward into your kitchen or service area. This unit requires a 115V electrical connection for operation.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.